

Contents

VOLUME 7, NUMBER 1, APRIL 1992

Size dependency of gametophytes decay in <i>Athyrium brevifrons</i> Nakai during spring desiccation <i>T. Sato</i>	1
Assessment of pine forest damage by blight based on Landset TM data and correlation with environmental factors <i>K. Nakane and Y. Kimura</i>	9
Foot morphology and distribution of Sika deer in relation to snow depth in Japan <i>S. Takatsuki</i>	19
Photoperiodic control of larval development and wing form in <i>Modicogryllus</i> sp. (Orthoptera: Gryllidae) <i>S. Masaki and T. Sugahara</i>	25
Succession of sessile organisms on experimental plates immersed in Nabeta Bay, Izu Peninsula, Japan. V. An integrated consideration on the definition and prediction of succession <i>T. Hirata</i>	31
Overlapping territories of <i>Pseudosimochromis curvifrons</i> males and other herbivorous cichlid fishes in Lake Tanganyika <i>T. Kuwamura</i>	43
Optimal seasonal timing of univoltine and bivoltine insects <i>Y. Iwasa, A. Yamauchi and S. Nozoe</i>	55
Importance of communal foraging grounds outside the reed marsh for breeding great reed warblers <i>Y. Ezaki</i>	63
Mechanisms of cross-shore distribution pattern of the intertidal mud crab <i>Macrophthalmus japonicus</i> <i>Y. Henmi</i>	71
Short Communication	
Postglacial vegetation history around Torihama, Fukui Prefecture, Japan <i>H. Takahara and M. Takeoka</i>	79

VOLUME 7, NUMBER 2, AUGUST 1992

Male reproductive polymorphism and form-specific habitat utilization of the damselfly <i>Mnais pruinosa</i> (Zygoptera: Calopterygidae) <i>S. Nomakuchi</i>	87
Seasonal variations of microsite light availability within a <i>Miscanthus sinensis</i> canopy <i>Y. Tang, I. Washitani and H. Iwaki</i>	97
Dynamics of the fungal symbionts in the gallery system and the mycangia of the ambrosia beetle, <i>Xylosandrus multilatus</i> (Blandford) (Coleoptera: Scolytidae) in relation to its life history <i>H. Kajimura and N. Hijii</i>	107
Ecological geography of the range of the <i>Abies mariesii</i> forest in northeast Honshu, Japan, with special reference to the physiographic conditions <i>H. Sugita</i>	119
Reproductive ecology of a freshwater amphipod, <i>Jesogammarus suwaensis</i> Morino, inhabiting Lake Suwa in central Japan <i>H. Kusano</i>	133

A case study on the effects of a transmission-line corridor on Sika deer habitat use at the foothills of Mt Goyo, northern Honshu, Japan <i>S. Takatsuki</i>	141
Ontogenetic changes in stomatal size and conductance of sunflowers <i>A. Furukawa</i>	147
Effect of bryophytes on survival of conifer seedlings in subalpine forests of central Japan <i>T. Nakamura</i>	155
Home range and mating system of two sympatric field mouse species, <i>Apodemus speciosus</i> and <i>Apodemus argenteus</i> <i>T. Oka</i>	163
Intra- and interspecific variation in body size of <i>Protobermes</i> (Megaloptera: Corydalidae) <i>F. Hayashi</i>	171
Short Communications	
Laboratory observations of prey behaviour for prey acquisition by a predator among three larval mosquitoes <i>H. Yasuda and T. Mitsui</i>	179
Ecological characteristics of <i>Agriophyllum squarrosum</i> , a pioneer annual on sand dunes in eastern Inner Mongolia, China <i>N. Nemoto and X. Lu</i>	183
Leaf carbon gain simulation for tree seedlings acclimatized to microsite light regimes of a temperate pine forest <i>I. Washitani</i>	187
Photosynthetic and stomatal responses of <i>Larix kaempferi</i> seedlings to short-term waterlogging <i>K. Terazawa, Y. Maruyama and Y. Morikawa</i>	193
Seasonal change in specific needle weight of <i>Pinus thunbergii</i> <i>M. Kimura</i>	199
Errata for Volume 6, Numbers 1-3	203

VOLUME 7, NUMBER 3, DECEMBER 1992

Seasonal change in the redox property of peat and its relation to vegetation in a system of floating mat and pond <i>A. Haraguchi</i>	205
Roles of leaf water potential and soil-to-leaf hydraulic conductance in water use by understorey woody plants <i>A. Ishida, Y. Yamamura and Y. Hori</i>	213
Germination ecology of coastal plants in relation to salt environment <i>S. Mariko, N. Kachi, S-I. Ishikawa and A. Furukawa</i>	225
Evolution of airborne infectious diseases according to changes in characteristics of the host population <i>M. Kakehashi and F. Yoshinaga</i>	235
Survivorship of a monocarpic bamboo grass, <i>Sasa kurilensis</i> , during the early regeneration process after mass flowering <i>A. Makita</i>	245
Canopy photosynthetic production in a Japanese larch stand. I. Seasonal and vertical changes of leaf characteristics along the light gradient in a canopy <i>N. Kurachi, A. Hagihara and K. Hozumi</i>	255
Enclosure experiment on the control mechanism of planktonic bacterial standing stock <i>K. Kato, S-W. Oh, H. Yamamoto, T. Hanazato, I. Yasuda, A. Otuki and M. Takahashi</i>	267

Female mate preference and offspring fitness in the melon fly <i>E. Kasuya</i>	277
Three-dimensional dispersion of drosophilid flies in a cool temperate forest of northern Japan <i>M. J. Toda</i>	283
Performance and phenology of alpine herbs along a snow-melting gradient <i>G. Kudo</i>	297
Factors affecting individual variation in resting site fidelity in the patellid limpet, <i>Cellana toreuma</i> (Reeve) <i>K. Iwasaki</i>	305
Dynamics and dry matter production of belowground woody organs of <i>Pinus pumila</i> trees growing on the Kiso mountain range in central Japan <i>T. Kajimoto</i>	333
Buried seed population in the herbaceous lomas on Loma Ancon in the coastal desert of central Peru <i>N. Ohga</i>	341
Carbon isotope ratio and photosynthetic activity of phytoplankton in the eutrophic Mikawa Bay, Japan <i>K. Takahashi, E. Wada and M. Sakamoto</i>	355
High SO ₂ resistance of <i>Clethra barbinervis</i> established in a smoke-polluted area of Ashio, Tochigi Prefecture, Japan <i>H. Ikeda, T. Natori, T. Totsuka and H. Iwaki</i>	363
Vegetation history since the last glacial period in the Mikata lowland, the Sea of Japan area, western Japan <i>H. Takahara and M. Takeoka</i>	371
Short Communications	
Distribution pattern and age structure of <i>Abies firma</i> saplings in a mature mixed forest of <i>A. firma</i> and <i>Fagus japonica</i> <i>N. Agetsuma</i>	387
Detection of xylem cavitation in field-grown pine trees using the acoustic emission technique <i>T. Ikeda and M. Obitsu</i>	391
Referees	397
Author index	398
Subject index	399